








PRINTING & STRIPPING BLANKETS










DDF has a very modern production environment for the manufacturing of rubber, stripping and self-adhesive blankets. DDF is one of the leading companies in this field with years of experience and a high level of expertise. DDF can develop blankets with manufacturers to meet their specifications.




Printing Blankets | Stripping Blankets | Stripping Plates
Self-adhesive | Bars | Specialties

www.deutschedruckfarben.com

**Deutsche•
Druckfarben**
PRINT-TECHNOLOGY

Printing blankets		Sheetfed							Web			
Product		Colour	High quality printing	Large offset presses	Cartons	Metal printing	Plastic printing	UV	Hybrid	Coldset	Heatset	Key features
Sava												
	Advantage Plus Thickness 1.70 and 1.95 mm	Blau	•••	•••	•••			•	•			- Unique patented nylon cord carcasse technology - Ability to print short run UV, metallic and speciality printing inks - Absolute minimal sinking and stretch characteristics
	Advantage UV Black Thickness 1.95 mm	Black	•••	•••	•••			•••				
	Advantage Dual Thickness 1.70 and 1.95 mm	Indigo	•••	•••	•••			•	•••			
DDF												
	DDF Azure Thickness 1.95 mm	Blue	•••	•••	••				••			- Exceptional stable on press - Excellent quick release - Low gauge lost - Sharp dot reproduction and smooth solids
	DDF Adventure Thickness 1.95 mm	Green	•••	•••	••	••						- New fabric construction for low stretch - Long durability and long life - 3 ply - Outstanding edge marking resistance
	DDF Quartz Thickness 1.95 mm	Blue-Green	•••	••	•••	••		•	••			- Very good smash resistance - Excellent quick release - No problems with format changes - Hybrid
	DDF SF-Diamond Thickness 1.70 and 1.97 mm	Blue	••	••	••	••	•		•	•		- General Sheetfed - Good price/quality ratio - Good solid printing
	DDF SF-Platinum Thickness 1.95 mm	Blue	•••	•••	••	•		•	•••			- 4 ply - Good quick release - Hybrid
	DDF UV New Low-E Dicke 1.96 mm	Indigo	•••	•••	•••			•••				- 3 ply
	DDF UV Thickness 1.70 and 1.95 mm	Red	•••	•••	•••	••		•••				- EPDM surface rubber - Good resistance against UV inks - Resistance for most UV washes - Good QR properties
	DDF HS-Elite Thickness 1.70 and 1.95 mm	Blue	•••	•••						•	•••	- Good heatset and large format sheetfed blanket - Good paper feeding - Stable press behavior
••• = Very good •• = Good • = Suitable												
18.01												

Stripping blankets		Sheetfed				
Product		Colour	Spot coating WB	Spot coating UV	Repeat coating jobs	Key features
	DDF StripperOne Thickness 1.96 mm	Blue	●●●	●	●	<ul style="list-style-type: none">- Sharp edges and good coating transfer- Relief depth 0.80 mm- Easy to peel- Cutting by hand or cad table possible
	DDF StripperBlue Thickness 1.95 mm	Blue/ Green	●●●	●●●	●	<ul style="list-style-type: none">- Very good coating transfer- Cutting by hand or cad table possible- Relief depth 0.80 mm- Easy to peel
	DDF VP195 Premium Thickness 1.95 mm	Pink	●●●	●●●	●●●	<ul style="list-style-type: none">- The best stripping blanket, environmentally friendly- Relief depth 1.30 mm- No ink build up- Compressible layer
	DDF Polymer Superior Thickness 1.15 and 1.35 mm	Blue	●●●	●●●	●●●	
	DDF Polymer Thickness 1.15 and 1.35 mm	Pink	●●●	●●	●●●	<ul style="list-style-type: none">- Unique product made for DDF- Polymer with a compressible layer- No ink build up- Environmentally friendly
	DDF Polymer Xtra Thickness 1.15 and 1.35 mm	Redish	●●●	●●●	●●●	<ul style="list-style-type: none">- For special coatings like deep matt and soft touch- Polymer- No ink build up- Environmentally friendly
	DDF Premium Coat Thickness 1.15, 1.35 and 1.95 mm	Green	●●●	●●	●●●	<ul style="list-style-type: none">- Coating plate with a compressible layer- Suitable for UV and waterbased coating- Improved coating transfer, lowest ink build-up and extended wash intervals
	DDF VSB Thickness 0.95 and 1.15 mm (Self adhesive coating blanket)	Pink	●●●	●●●	●●●	<ul style="list-style-type: none">- Self adhesive product made for DDF- Polymer suitable for UV- No ink build up- Environmentally friendly
	DDF Extreme UV Thickness 1.15 and 1.35 mm	Black	●●	●●●	●●●	<ul style="list-style-type: none">- Extreme suitable for UV coating- EPDM rubber- Hard to peel
	DDF Plotter					<ul style="list-style-type: none">- DDF Plotter 09 (cutting area 900 x 600 mm)- DDF Plotter 12 (cutting area 1200 x 850 mm)- DDF Plotter 15 (cutting area 1500 x 1200 mm)
●●● = Very good ●● = Good ● = Suitable						
						18.01

Specialties		Sheetfed									
Product		Colour	High quality printing	Large offset presses	Cartons	Metal printing	2-pc Can application	Plastic printing	UV	Hybrid	Key features
	DDF Cup Star Thickness 1.95, 2.5, 3.2 and 3.90 mm (Not adhesive)	White						•••			<ul style="list-style-type: none">- Suitable for UV and conventional dry-offset inks- Processing temperature between -20 and 150°C- For Polytype, Van Dam, Omso, Kase and Desco
	DDF MD-Superior Thickness 1.95 mm	Blue	••	••	••	•••			•	••	<ul style="list-style-type: none">- 4 ply- Extreme robust surface- Hybrid
	DDF 2-pc Can HQ Thickness 1.96 mm	Blue					•••			••	<ul style="list-style-type: none">- Good dot sharpness and smooth solids- 3 ply- Gauge variation of ±0.01 mm in 1 pack- Suitable for waterless printing

••• = Very good •• = Good • = Suitable

18.01

Knowledge and experience

The DDF professionals know exactly how to make printing and self-adhesive blankets and stripping plates of consistent quality. Several DDF products are Isega certified. Within the DDF product range, there are applications for sheetfed printing, web printing, coldset, heatset, metaldeco, 2-pc Can and plastic printing.

DDF also supplies a special DDF plotter for plotting stripping plates.

DDF printing and self-adhesive blankets and stripping plates are used in the following segments:

- Commercial printing (sheetfed and web)
- Packaging printing
- H-UV / LED-UV
- Label printing
- Security printing
- Envelop printing
- Self adhesive blankets
- Under blankets
- Press-ready blankets



Registered trademarks

DDF•chemicals
pre-press & pressroom

DDF•coatings
UV & water based

DDF•washcloth
wet & dry

DDF•blankets
printing & stripping

DDF•consumables

Nova
offsetplates

**Deutsche•
Druckfarben**
PRINT-TECHNOLOGY



ISO 9001 certified



Fogra member

Deutsche Druckfarben

Deutsche Druckfarben is a leading specialist in printing inks and varnishes. These quality products are used in both commercial and packaging printing. In addition, Deutsche Druckfarben supplies a wide range of products such as (pre)press chemistry, water based and UV lacquers, printing blankets and washcloth (dry and impregnated). These products are manufactured since 1977 by a group of companies - which Deutsche Druckfarben belongs to – in different modern European factories.

High quality products

Deutsche Druckfarben has its own research and development department with a professional in-house laboratory. In this laboratory we carry out all the tests we need for quality control, optimization and development of our printing inks, water based and UV varnishes and printing chemicals. Deutsche Druckfarben is constantly working on optimization and further development of its products. A combination of many years of experience, constant market analysis and customer feedback combined with high-quality products, is what distinguishes Deutsche Druckfarben from the competition.

Corporate Social Responsibility

The inks and varnishes made by Deutsche Druckfarben meet the most stringent environmental standards. The Deutsche Druckfarben Bio inks are free of mineral oil and cobalt. Corporate Social Responsibility (CSR) is of high importance for Deutsche Druckfarben. This applies not only to our commercial activities (Profit). We also look at the impact of our products on the environment (Earth) and pay attention to human aspects in- and outside our company (People).



Deutsche Druckfarben B.V.

Head Office / Production

Molenwerf 14
1911 DB Uitgeest, The Netherlands
Phone: +31 251 36 26 24
Telefax: +31 251 31 58 50
info@deutschedruckfarben.nl

Production / Warehouse / Shipping

Ivoorstraat 13
1812 RE Alkmaar, The Netherlands
Phone: +31 251 36 26 24
Telefax: +31 251 31 58 50
info@deutschedruckfarben.nl

Sales office

Germany / Austria / Switzerland

Unter Gottes Gnaden 29
50859 Köln, Deutschland
Mobile: +49 172 290 49 56
Phone: +49 221 28 09 41 04
Telefax: +49 221 28 09 41 05
office@deutschedruckfarben.de

Deutsche Druckfarben is a company of AtéCé Graphic Products | The Netherlands

www.deutschedruckfarben.com